

# Glass Cleaner | skus: PGC10100, PGC10500 & PGC12500

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 16/03/2023 Revision date: 16/03/2026 Supersedes version of: 25/06/2008 Version: 5.2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture
Product name : Glass Cleaner

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

Use of the substance/mixture : Washing and cleaning products (including solvent based products).

### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Xpert, Telford Way, Cross Park Bedford MK42 0PQ, United Kingdom T +44 (0) 1234 242740 marketing@xperttools.co.uk

### Supplier information

Xpert, Telford Way, Cross Park Bedford, MK42 0PQ, United Kingdom T +44 (0) 1234 24270 marketing@xperttools.co.uk

### 1.4. Emergency telephone number

Emergency number : +44 (0) 1234 242740 (Office hours only)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 Full text of H- and EUH-statements: see section 16 H319

### Adverse physicochemical, human health and environmental effects

Causes serious eye irritation.

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

16/03/2026 (Revision date)



1/12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Signal word (CLP) : Warning

Hazard statements (CLP) : H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear eye protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.

### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Isopropyl Alcohol (IPA) substance with national workplace exposure limit(s) (DE, GB, NL)	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119451558- 25	10-20%	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Butyl Glycol substance with national workplace exposure limit(s) (GB, NL); substance with a Community workplace exposure limit	CAS-No.: 111-76-2 EC-No.: 203-905-0 EC Index-No.: 603-014-00-0 REACH-no: 01-2119475108-	1-10%	Acute Tox. 3 (Inhalation), H331 (ATE=0.5 mg/l/4h) Acute Tox. 4 (Oral), H302 (ATE=1200 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation : When symptoms occur: go into open air and ventilate suspected area.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth out with water.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : None under normal use.
Symptoms/effects after skin contact : May cause moderate irritation.
Symptoms/effects after eye contact : redness, itching, tears.

Symptoms/effects after ingestion : May cause irritation to the digestive tract.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Precautionary measures fire : Evacuate area.

Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Prevent from entering sewers, basements and workpits, or any place where its

accumulation can be dangerous. Stop leak if safe to do so.

### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin

and eyes.

### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

For containment : Cover spill with non combustible material, e.g.: sand, earth, vermiculite.

Methods for cleaning up : Take up liquid spill into absorbent material. Absorb remaining liquid with sand or inert

absorbent and remove to safe place. Notify authorities if product enters sewers or public

waters.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

No additional information available

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed.

Storage area : Store away from heat.

Special rules on packaging : Keep only in original container.

Packaging materials : Keep only in the original container in a cool, well-ventilated place away from combustible

materials.

### 7.3. Specific end use(s)

No additional information available

16/03/2026 (Revision date) EN (English) 3/12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

o.i.i italional occupational exposure and s	g			
Butyl Glycol (111-76-2)				
United Kingdom - Occupational Exposure Limits				
Local name	2-Butoxyethanol			
WEL TWA (OEL TWA) [1]	123 mg/m³			
WEL TWA (OEL TWA) [2]	25 ppm			
WEL STEL (OEL STEL)	246 mg/m³			
WEL STEL (OEL STEL) [ppm]	50 ppm			
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)			
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE				
United Kingdom - Biological limit values				
Local name	2-Butoxyethanol			
BMGV	240 mmol/mol Creatinine Parameter: butoxyacetic acid - Medium: urine - Sampling time: Post shift			
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE			
Isopropyl Alcohol (IPA) (67-63-0)				
United Kingdom - Occupational Exposure	Limits			
Local name	Propan-2-ol			
WEL TWA (OEL TWA) [1]	999 mg/m³			
WEL TWA (OEL TWA) [2]	400 ppm			
WEL STEL (OEL STEL)	1250 mg/m³			
WEL STEL (OEL STEL) [ppm] 500 ppm				
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE				

## 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

## Appropriate engineering controls:

Ensure good ventilation of the work station.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2.2. Personal protection equipment

### Personal protective equipment symbol(s):











### 8.2.2.1. Eye and face protection

### Eye protection:

Safety glasses

Eye protection			
Type Field of application Characteristics Standard			
Safety glasses, Safety goggles	Droplet	With side shields	EN 166

### 8.2.2.2. Skin protection

### Skin and body protection:

Wear suitable protective clothing

### Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR), Butyl rubber, Polyvinylchloride (PVC)	5 (> 240 minutes)	0.44		EN 374-2

### 8.2.2.3. Respiratory protection

Respiratory protection				
Device Filter type Condition Standard				
Aerosol mask	ABEK	Vapour protection, Protection for Liquid particles	EN 14387	

### 8.2.2.4. Thermal hazards

No additional information available

## 8.2.3. Environmental exposure controls

### **Environmental exposure controls:**

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid : light blue. Colour : characteristic. Odour Odour threshold : Not available Melting point : Not applicable Freezing point : Not available Boiling point : 100 °C Flammability : Not applicable Explosive limits : Not available Lower explosion limit : Not available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

pH : 7

Viscosity, kinematic Not available Solubility Soluble in water. Partition coefficient n-octanol/water (Log Kow) Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available : Not available Density . 0 922 Relative density Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

### 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No additional information available

### 9.2.2. Other safety characteristics

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

## 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Butyl Glycol (111-76-2)		
LD50 oral	1746 mg/kg bodyweight	
LD50 dermal	435 mg/kg bodyweight	
LC50 Inhalation - Rat (Dust/Mist)	2200 mg/l	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Joannay Alechal (IDA) (C7 C2 C)	
Isopropyl Alcohol (IPA) (67-63-0)	
LD50 oral	5840 mg/kg
LD50 dermal	13900 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	25000 mg/l/4h
Skin corrosion/irritation :	Not classified pH: 7
Butyl Glycol (111-76-2)	
рН	7
Isopropyl Alcohol (IPA) (67-63-0)	
рН	5.5
Serious eye damage/irritation :	Causes serious eye irritation. pH: 7
Butyl Glycol (111-76-2)	
рН	7
Isopropyl Alcohol (IPA) (67-63-0)	
рН	5.5
Respiratory or skin sensitisation :	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
Isopropyl Alcohol (IPA) (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure :	Not classified
Butyl Glycol (111-76-2)	
NOAEL (dermal, rat/rabbit, 90 days)	> 150 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study), Remarks on results: other:
Aspiration hazard :	Not classified
Isopropyl Alcohol (IPA) (67-63-0)	
Viscosity, kinematic	3.115 mm²/s

## 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

: Not classified

Hazardous to the aquatic environment, long-term (chronic)

: Not classified

## Not rapidly degradable

Butyl Glycol (111-76-2)	
LC50 - Fish [1]	1474 mg/l

7/12 16/03/2026 (Revision date) EN (English)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Butyl Glycol (111-76-2)			
EC50 - Crustacea [1]	≈ 1800 mg/l Test organisms (species): Daphnia magna		
EC50 - Other aquatic organisms [1]	1550 mg/l waterflea		
EC50 - Other aquatic organisms [2]	911 mg/l		
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC chronic fish	≥ 100 mg/l Test organisms (species): Oryzias latipes Duration: '14 d'		
Isopropyl Alcohol (IPA) (67-63-0)			
LC50 - Fish [1]	9640 mg/l		
EC50 - Other aquatic organisms [1]	13299 mg/l waterflea		
EC50 - Other aquatic organisms [2]	> 1000 mg/l		

## 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

Butyl Glycol (111-76-2)	
Partition coefficient n-octanol/water (Log Pow) 0.8	
Isopropyl Alcohol (IPA) (67-63-0)	
Partition coefficient n-octanol/water (Log Pow) 0.05	

## 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapours may accumulate in the container.

16/03/2026 (Revision date) EN (English) 8/12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HP Code

- : HP3 "Flammable:"
  - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
  - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
  - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
  - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
  - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
  - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
NOT SUBJECT	NOT SUBJECT	NOT SUBJECT	NOT SUBJECT	
14.1. UN number or ID n	umber			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard	class(es)			1
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	zards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information	n available	1	I .	1

### 14.6. Special precautions for user

### **Overland transport**

No data available

### Transport by sea

No data available

### Air transport

No data available

### Inland waterway transport

No data available

## Rail transport

No data available

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Indication of changes				
Section	Changed item	Change	Comments	
3.2	Additional information	Modified	REACH number amended for Isopropyl Alcohol (IPA)	

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H336	May cause drowsiness or dizziness.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.